03500.017515

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)
TAKAKAZU TANAKA ET AL.	: Examiner: Mark A. Chapman
Appln. No.: 10/647,274	: Art Unit: 1756
Filed: August 26, 2003	:)
For: ELECTROPHOTOGRAPHIC PHOTOSENSITIVE MEMBER, PROCESS CARTRIDGE AND ELECTROPHOTOGRAPHIC APPARATUS	Certificate MAY 3-1 2007 of Correction
U.S. Patent No.: 7,045,261 B2	·)
Issued: May 16, 2006	:) May 7, 2007

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

COLUMN 18

{CT-72}, "-CH₃" should read ---OCH₃--.

COLUMN 22

Line 19, "is" should read --are--.

COLUMN 23

- 2

Line 20, "and" should read --or--;

Line 34, "referred." should read --preferred.--; and

Line 35, "referred" should read --preferred--.

COLUMN 24

Line 60, "mote" should read --move--.

COLUMN 26

Line 53, "bad" should read --precipitation inducing--.

COLUMN 30

Line 15, "runned" should read --ran--.

COLUMN 33

Line 51, "was" should read --were--;

Line 52, "was" should read --were--;

Line 56, "members" should read --members were--; and

Line 66, "come" should read --become--.

COLUMN 34

Line 24, -number-average" should read --number-average--; and

Line 29, "an" should read --a--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

Peter Saxon

Attorney for Patentees Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_MAIN 631724v1